

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method of translating handwritten input to machine readable characters comprising:

obtaining a first data item; and

performing one or more recognition processing operations upon said data item by a preprocessor in conjunction with a confirmed symbol observation source, a special purpose hardware recognition processing unit, a postprocessor in conjunction with the confirmed symbol observation source, ~~and a confirmed symbol observation source~~ to produce a second data item.

2. (Previously presented) The method of claim 1 wherein said first data item is a handwritten symbol.

3. (Original) The method of claim 1 further comprising: altering said first data item by a preprocessor to a reduced form.

4. (Original) The method of claim 3 wherein said step of altering is fully information preserving.

5. (Original) The method of claim 1 further comprising: selecting one or more machine readable characters by a postprocessor.

6. (Original) The method of claim 1 wherein said special purpose hardware unit is configured to perform a first recognition processing operation and a second recognition processing operation in parallel.

7. (Original) The method of claim 1 wherein said special purpose hardware unit is configured to perform hidden Markov model computations.

8. (Original) The method of claim 1 wherein said special purpose hardware unit comprises: a memory unit.

9. (Original) The method of claim 5 further comprising: presenting said machine readable characters to a user.

10. (Original) The method of claim 9 further comprising: obtaining an indication from said user of whether said machine readable characters are a correct translation of said data item.

11. (Original) The method of claim 1 wherein said data item is a combination of a plurality of handwritten symbols.

12. (Original) The method of claim 1 further comprising: adjusting the operation of said special purpose hardware unit in accordance with a set of training data.

13. (Original) The method of claim 3 further comprising: adjusting the operation of said preprocessor in accordance with a set of training data.

14. (Original) The method of claim 5 further comprising: adjusting the operation of said postprocessor in accordance with a set of training data.

15. (Original) The method of claim 5 wherein said step of selecting comprises: determining a context of said data item.

16. (Original) The method of claim 15 wherein said step of selecting further comprises: determining a correctly spelled word wherein said machine readable

characters appear in said correctly spelled word and said correctly spelled word is appropriate for said context.

17. (Original) The method of claim 15 wherein said step of selecting further comprises: determining whether machine readable characters are grammatically incorrect for said context.

18. (Original) The method of claim 15 wherein said step of selecting further comprises: determining a word in which said machine readable characters appear in said word and said word appeared previously in said context.

19. (Original) The method of claim 15 wherein said step of selecting further comprises: examining a set of user information.

20. (Currently Amended) A method of translating handwritten input to machine readable characters comprising:

obtaining a first data item; and

performing one or more hidden Markov model operations upon said data item using a preprocessor in conjunction with a confirmed symbol observation source, special purpose recognition processor hardware, ~~a confirmed symbol observation source~~, and a postprocessor in conjunction with the confirmed symbol observation source.

21. (Original) The method of claim 20 wherein said hidden Markov model operations are forward probability calculations.

22. (Original) The method of claim 20 wherein said hidden Markov model operations are backward probability calculations.

23. (Original) The method of claim 20 wherein one or more wordlets are part of a symbol alphabet.

24. (Currently Amended) A handwritten input to machine readable characters translator comprising:

a means for obtaining a first data item; and

a preprocessor coupled to a confirmed symbol observation source, special purpose hardware recognition processing unit, ~~a confirmed symbol observation source~~, and a postprocessor coupled to the confirmed symbol observation source configured to perform one or more recognition processing operations upon said data item to produce a second data item.

25. (Previously presented) The handwritten input to machine readable characters translator of claim 24 wherein said first data item is a handwritten symbol.

26. (Original) The handwritten input to machine readable characters translator of claim 24 further comprising: a preprocessor configured to alter said first data item to a reduced form.

27. (Original) The handwritten input to machine readable characters translator of claim 26 wherein said preprocessor alters said first data item in a fully information preserving manner.

28. (Original) The handwritten input to machine readable characters translator of claim 24 further comprising: a postprocessor configured to select one or more machine readable characters.

29. (Original) The handwritten input to machine readable characters translator of claim 24 wherein said special purpose hardware unit is configured to perform a first recognition processing operation and a second recognition processing operation in parallel.

30. (Original) The handwritten input to machine readable characters translator of claim 24 wherein said special purpose hardware unit is configured to perform hidden Markov model computations.

31. (Original) The handwritten input to machine readable characters translator of claim 24 wherein said special purpose hardware unit comprises:  
a means for presenting said machine readable characters to a user.

32. (Original) The handwritten input to machine readable characters translator of claim 28 further comprising:  
a means for presenting said machine readable characters to a user.

33. (Original) The handwritten input to machine readable characters translator of claim 32 comprising:  
a means for obtaining an indication from said user of whether said machine readable characters are a correct translation of said data item.

34. (Original) The handwritten input to machine readable characters translator of claim 24 wherein said data item is a combination of a plurality of handwritten symbols.

35. (Original) The handwritten input to machine readable characters translator of claim 24 further comprising:  
a means for adjusting the operation of said special purpose hardware unit in accordance with a set of training data.

36. (Original) The handwritten input to machine readable characters translator of claim 26 further comprising:  
a means for adjusting the operation of said preprocessor in accordance with a set of training data.

37. (Original) The handwritten input to machine readable characters translator of claim 28 further comprising:

a means for adjusting the operation of said postprocessor in accordance with a set of training data.

38. (Original) The handwritten input to machine readable characters translator of claim 28 wherein said postprocessor comprises:

a determiner configured to determine a context of said data item.

39. (Original) The handwritten input to machine readable characters translator of claim 38 wherein said postprocessor further comprises:

a second determiner configured to determine a correctly spelled word wherein said machine readable characters appear in said correctly spelled word and said correctly spelled word is appropriate for said context.

40. (Original) The handwritten input to machine readable characters translator of claim 38 wherein said postprocessor further comprises:

a second determiner configured to determine whether machine readable characters are grammatically incorrect for said context.

41. (Original) The handwritten input to machine readable characters translator of claim 38 wherein said postprocessor further comprises:

a second determiner configured to determine a word in which said machine readable characters appear in said word and said word appeared previously in said context.

42. (Original) The handwritten input to machine readable characters translator of claim 38 wherein said postprocessor further comprises: an examiner configured to examine a set of user information.

43. (Currently Amended) A handwritten input to machine readable characters translator comprising:

a means for obtaining a data item; and

a preprocessor coupled to a confirmed symbol observation source, special purpose hardware recognition processing computation unit, ~~a confirmed symbol observation source~~, and a postprocessor coupled to the confirmed symbol observation source configured to perform one or more hidden Markov model operations upon said data item.

44. (Original) The handwritten input to machine readable characters translator of claim 43 wherein said hidden Markov model operations are forward probability calculations.

45. (Original) The handwritten input to machine readable characters translator of claim 43 wherein said hidden Markov model operations are backward probability calculations.

46. (Original) The handwritten input to machine readable characters translator of claim 43 wherein one or more wordlets are part of a symbol alphabet.

47. (Currently Amended) A computer program product comprising: a computer usable medium having computer readable program code embodied therein configured to translate handwritten input to machine readable characters, said computer program product comprising:

computer readable code configured to cause a computer to obtain a first data;  
and

computer readable code configured to cause a preprocessor coupled to a confirmed symbol observation source, a special purpose recognition processing hardware, ~~a confirmed symbol observation source~~, and a postprocessor coupled to the confirmed symbol observation source in the computer to perform one or more recognition processing operations upon said data item to produce a second data item.

48. (Previously presented) The computer program product of claim 47 wherein said first data item is a handwritten symbol.

49. (Original) The computer program product of claim 47 further comprising: computer readable code configured to cause a computer to alter said first data item to a reduced form.

50. (Original) The computer program product of claim 49 wherein said computer readable code configured to cause a computer to alter is fully information preserving.

51. (Original) The computer program product of claim 47 further comprising: computer readable code configured to cause a computer to select one or more machine readable characters.

52. (Original) The computer program product of claim 47 wherein said computer readable code configured to cause a computer to perform is further configured to perform a first recognition processing operation and a second recognition processing operation in parallel.

53. (Original) The computer program product of claim 47 wherein said computer readable code configured to cause a computer to perform is further configured to perform hidden Markov model computations.

54. (Original) The computer program product of claim 47 wherein said computer readable code configured to cause a computer to perform comprises:  
computer readable code configured to cause a computer to store a plurality of data items.

55. (Original) The computer program product of claim 51 further comprising:  
computer readable code configured to cause a computer to present said machine  
readable characters to a user.

56. (Original) The computer program product of claim 55 further comprising:  
computer readable code configured to cause a computer to obtain an indication from  
said user of whether said machine readable characters are a correct translation of said  
data item.

57. (Original) The computer program product of claim 47 wherein said data  
item is a combination of a plurality of handwritten symbols.

58. (Original) The computer program product of claim 47 further comprising:  
computer readable code configured to cause a computer to adjust the operation  
of said special purpose hardware unit in accordance with a set of training data.

59. (Original) The computer program product of claim 49 further comprising:  
computer readable code configured to cause a computer to adjust the operation  
of said preprocessor in accordance with a set of training data.

60. (Original) The computer program product of claim 51 further comprising:  
computer readable code configured to cause a computer to adjust the operation  
of said postprocessor in accordance with a set of training data.

61. (Original) The computer program product of claim 51 wherein said  
computer readable code configured to cause a computer to select comprises:  
computer readable code configured to cause a computer to determine a context  
of said data item.

62. (Original) The computer program product of claim 61 wherein said  
computer readable code configured to cause a computer to select further comprises:

computer readable code configured to cause a computer to determine a correctly spelled word wherein said machine readable characters appear in said correctly spelled word and said correctly spelled word is appropriate for said context.

63. (Original) The computer program product of claim 61 wherein said computer readable code configured to cause a computer to select further comprises:  
computer readable code configured to cause a computer to determine whether machine readable characters are grammatically incorrect for said context.

64. (Original) The computer program product of claim 61 wherein said computer readable code configured to cause a computer to select further comprises:  
computer readable code configured to cause a computer to determine a word in which said machine readable characters appear in said word and said word appeared previously in said context.

65. (Original) The computer program product of claim 61 wherein said computer readable code configured to cause a computer to select further comprises:  
computer readable code configured to cause a computer to examine a set of user information.

66. (Previously presented) A computer program product comprising: a computer usable medium having computer readable program code embodied therein configured to translate handwritten input to machine readable characters, said computer program product comprising:  
computer readable code configured to cause a computer to obtain a data item;  
and  
computer readable code configured to cause a preprocessor, a special purpose recognition processing hardware, a confirmed symbol confirmation source, and a postprocessor of the computer to perform one or more hidden Markov model operations upon said data item.

67. (Original) The computer program product of claim 66 wherein said hidden Markov model operations are forward probability calculations.

68. (Original) The computer program product of claim 66 wherein said hidden Markov model operations are backward probability calculations.

69. (Original) The computer program product of claim 66 wherein one or more wordlets are part of a symbol alphabet.